

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ax: Axis-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bs: Bibb-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Bt: Bibb Variant-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
BuA: Butlertown-----	45	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Mattapex-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
BuB2: Butlertown-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Mattapex-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
BuC2: Butlertown-----	40	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Mattapex-----	35	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
CeB2: Colts Neck-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeC2: Colts Neck-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
CgC2: Colts Neck-----	95	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
CgC3: Colts Neck-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
CgD2: Colts Neck-----	95	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
CgD3: Colts Neck-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
CnE: Colts Neck-----	35	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Sassafras-----	35	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Em: Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fa: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fh: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
FmB: Fort Mott-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Well suited	
FmC2: Fort Mott-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
GaB: Galestown-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
GaD: Galestown-----	100	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope Sandiness	1.00 0.50
GaE: Galestown-----	95	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
Ih: Ipswich-----	100	Slight Slope/erodibility Slope/erodibility	0.02 0.02	Slight Slope/erodibility Slope/erodibility	0.11 0.06	Poorly suited Flooding Strength Wetness	1.00 1.00 1.00
Ik: Iuka-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Flooding Strength	0.50 0.50
KmA: Keyport-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
KmB2: Keyport-----	95	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Well suited	
KpA: Keyport-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
KpB2: Keyport-----	95	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
KpC2: Keyport-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ks: Kingsland-----	100	Slight Slope/erodibility 0.02 Slope/erodibility 0.02		Slight Slope/erodibility 0.11 Slope/erodibility 0.06		Poorly suited Flooding Strength Wetness	1.00 1.00 1.00
MfB: Matapeake-----	100	Slight Slope/erodibility 0.10		Moderate Slope/erodibility 0.44		Well suited	
MnA: Matapeake-----	100	Slight Slope/erodibility 0.02		Slight Slope/erodibility 0.11		Moderately suited Strength	0.50
MnB: Matapeake-----	100	Slight Slope/erodibility 0.10		Moderate Slope/erodibility 0.44		Moderately suited Strength	0.50
MnC2: Matapeake-----	100	Slight Slope/erodibility 0.20		Moderate Slope/erodibility 0.89		Moderately suited Strength Slope	0.50 0.50
MnC3: Matapeake-----	100	Slight Slope/erodibility 0.20		Moderate Slope/erodibility 0.89		Moderately suited Strength Slope	0.50 0.50
MnD2: Matapeake-----	100	Moderate Slope/erodibility 0.32		Severe Slope/erodibility 1.00		Poorly suited Slope Strength	1.00 0.50
MpA: Mattapex-----	95	Slight Slope/erodibility 0.02		Slight Slope/erodibility 0.11		Moderately suited Strength	0.50
MpB: Mattapex-----	100	Slight Slope/erodibility 0.10		Moderate Slope/erodibility 0.44		Moderately suited Strength	0.50
MtA: Mattapex-----	95	Slight Slope/erodibility 0.02		Slight Slope/erodibility 0.11		Moderately suited Strength	0.50
MtB: Mattapex-----	95	Slight Slope/erodibility 0.10		Moderate Slope/erodibility 0.44		Moderately suited Strength	0.50
MtC2: Mattapex-----	100	Slight Slope/erodibility 0.20		Moderate Slope/erodibility 0.89		Moderately suited Strength Slope	0.50 0.50
MwD: Mattapex-----	40	Moderate Slope/erodibility 0.32		Severe Slope/erodibility 1.00		Poorly suited Slope Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Woodstown-----	35	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MxA: Mattapex-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Matapeake-----	28	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Butlertown-----	27	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MxB: Mattapex-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Matapeake-----	35	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Butlertown-----	20	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MzA: Mattapex Variant----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MzB: Mattapex Variant----	95	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Oh: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Pt: Pits-----	100	Not rated		Not rated		Not rated	
SaA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SaB: Sassafras-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SaC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SaD2: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00

Table FOR-2.--Forestland Management--Continued

[illegible]

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoA: Woodstown-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WoB: Woodstown-----	90	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WsA: Woodstown-----	90	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WsB: Woodstown-----	90	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

